

Hundreds of choices one name

TAEJIN


The one choice for all your packaging solutions

TAEJIN
태진기계주

AUTOMATIC T-SHIRT BAG MAKING MACHINE

BAGMASTER 200AH

백마스타 200AH



Processing line (2lines x 1decks = 2lines)

heater size (mm)	Film width (mm)	Film length (mm)	Film thickness (mic)	Kinds of film	No. of roll	Production (Bags/min)	Power / Air required	Dimensions L x W x H (M)
450 x 2line	380	700	25~120	HDPE. PE. LDPE	2	500	9kW / 5bar	6.5 x 1.7 x 1.5
500 x 2line	420	700	25~120	HDPE. PE. LDPE	2	500	10kW / 5bar	6.5 x 2.2 x 1.5



AUTOMATIC T-SHIRT BAG MAKING MACHINE

BAGMASTER 600A

백마스타 600A

Guide roll	Max.Bag width	Max. Bag length	Film thickness	Production	Power / Air	Dimension
(mm)	(mm)	(mm)	(mic)	(Bags/min)	required	L x W x H (M)
1100	280 x 6 or 1000 x 2	700	Total 30~130	600bag/min (6Rolls)	12kW / 5bar	5.9 x 1.6 x 1.9
1300	345 x 6 or 1200 x 2				12kW / 5bar	5.9 x 1.8 x 1.9



AUTOMATIC T-SHIRT BAG MAKING MACHINE

BAGMASTER 400A

백마스타 400A

Guide roll	Max.Bag width	Max. Bag length	Film thickness	Production	Power / Air	Dimension
(mm)	(mm)	(mm)	(mic)	(Bags/min)	required	L x W x H (M)
1100	280 x 3 or 1000 x 1	700	Total 30~130	400bag/min (4Rolls)	12kW / 5bar	5.9 x 1.6 x 1.9
1300	345 x 3 or 1200 x 1				12kW / 5bar	5.9 x 1.8 x 1.9


AUTOMATIC T-SHIRT BAG MAKING MACHINE

BAGMASTER 300AP


백마스타 300AP



T-shirt bag



Open bag



Guide roll	Max.Bag width	Max. Bag length	Film thickness	Production	Power / Air	Dimension
(mm)	(mm)	(mm)	(mic)	(Bags/min)	required	L x W x H (M)
1100	280 x 3 or 1000 x 1	700	Total	300bag/min (3Rolls)	12kW / 5bar	5.9 x 1.6 x 1.9
1300	345 x 3 or 1200 x 1		30~130		12kW / 5bar	5.9 x 1.8 x 1.9



AUTOMATIC T-SHIRT BAG MAKING MACHINE

BAGMASTER 200AP


백마스타 200AP

Guide roll	Max.Bag width	Max. Bag length	Film thickness	Production	Power / Air	Dimensions
(mm)	(mm)	(mm)	(mic)	(Bags/min)	required	L x W x H (M)
900	350 x 2lines	700	Total 30~130	200bag/min (2Rolls)	9kW / 5bar	5.9 x 1.4 x 1.9
1100	450 x 2lines				10kW / 5bar	5.9 x 1.6 x 1.9

AUTOMATIC T-SHIRT BAG MAKING MACHINE




BAGMASTER 600S

백마스타 600S



Guide roll (mm)	Max.Bag width (mm)	Max. Bag length (mm)	Film thickness (mic)	Production (Bags/min)	Power required	Dimension L x W x H (M)
900	290 x 6 or 900 x 2	700	Total 30~130	600bag/min (6Rolls)	11kW	4.9 x 1.5 x 1.9
1100	330 x 6 or 1000 x 2				11kW	5.0 x 1.6 x 1.9
1300	340 x 6 or 1200 x 2				13kW	5.3 x 2.1 x 1.9

Bag shapes (It depends on options)



HIGH PERFORMANCE SIDE WELDED BAG MAKING MACHINE
SEALMASTER 300M


씰마스타 300M

Guide roll (mm)	Film width (mm)	Bag width (mm)	Film thickness (mic)	Kinds of film	Production	Power / Air	Dimensions
					(Bags/min)	required	L x W x H (M)
800	600	500	Total. 15~150	HDPE	Max.250pcs	12kW / 5bar	8.0 x 1.4 x 1.4
900	800	600		LDPE		12kW / 5bar	8.0 x 1.6 x 1.4
1000	1000	600		PP		12kW / 5bar	8.0 x 1.8 x 1.4

HIGH PERFORMANCE SIDE WELDED BAG MAKING MACHINE

SEALMASTER 300

씰마스타 300




Guide roll (mm)	Max. Film width (mm)	Max. Bag width (mm)	Film thickness (mic)	Kinds of film	Production	Power / Air	Dimensions
					(Bags/min)	required	L x W x H (M)
700	600	400	Total. 15~80	HDPE LDPE, PP	Max.150pcs	5kW / 5bar	4.5 x 1.3 x 1.1
900	800	400				5kW / 5bar	4.5 x 1.5 x 1.1

HIGH PERFORMANCE SIDE WELDED BAG MAKING MACHINE

SEALMASTER 300

씰마스타 300





Guide roll (mm)	Max. Film width (mm)	Bag length (Max.mm)	Bag width (Max.mm)	Film thickness (Mic)	Kinds of film	Production (Bags/min)	Power required	Dimension L x W x H (M)
700	600	500	500	Total. 15-150	HDPE. PE. LDPE. PP. BOPP.OPP.	Max.200cycle	5kW	4.5 x 1.3 x 1.1
800	700	600					5kW	4.5 x 1.4 x 1.1
900	800	700					5kW	4.5 x 1.5 x 1.1
1000	900	800					5kW	4.5 x 1.6 x 1.1

HIGH PERFORMANCE SIDE WELDED BAG MAKING MACHINE

SEALMASTER 300T

씰마스타 300T




Guide roll (mm)	Film width (mm)	Bag width (mm)	Film thickness (mic)	Kinds of film	Production (Bags/min)	Power / Air required	Dimensions L x W x H (M)
700	600	400	Total. 15~80	HDPE	Max.250pcs	8kW / 5bar	5.6 x 1.3 x 1.2
900	800	400		LDPE		8kW / 5bar	5.6 x 1.5 x 1.2
1100	1000	600		PP		8kW / 5bar	5.6 x 1.7 x 1.2

HIGH PERFORMANCE SIDE WELDED BAG MAKING MACHINE

SEALMASTER 600

씰마스타 600



Guide roll (mm)	Film width (mm)	Bag width (mm)	Film thickness (mic)	Kinds of film	Production (Bags/min)	Power / Air required	Dimensions L x W x H (M)
1100	1000	400	Total. 15~100		HDPE	Max.250pcs	8kW / 5bar
1300	1200	500		LDPE	8kW / 5bar		4.5 x 1.9 x 1.1
1400	1300	600		PP	8kW / 5bar		4.5 x 2.0 x 1.1

HIGH PERFORMANCE STACK TYPE FLEXO PRINTING MACHINE

FLEXIMA MAX (6colors)

후렉소 인쇄기



Double winder



Printing stations



Guide roll width (Max.mm)	Film width (Max.mm)	Printing width (Max.mm)	Printing repeat (mm)	M/C speed (M/min)	Printing possibility
800	700	650	210-898	80-110	
1000	900	800	210-898	80-110	6+0. 5+1. 4+2. 3+3
1200	1100	1000	210-898	80-110	6+0. 5+1. 4+2. 3+3

HIGH PERFORMANCE STACK TYPE FLEXO PRINTING MACHINE

FLEXIMA MINI

후렉소 인쇄기 - 2도




Guide roll width (Max.mm)	Film width (Max.mm)	Printing width (Max.mm)	Printing repeat (mm)	M/C speed (M/min)	Printing possibility
800	700	650	210-898	80-110	2+0. 1+1. 0+2
1000	900	800	210-898	80-110	2+0. 1+1. 0+2
1200	1100	1000	210-898	80-110	2+0. 1+1. 0+2

HIGH PERFORMANCE STACK TYPE FLEXO PRINTING MACHINE

FLEXIMA BASE

후렉소 인쇄기 - 4도




Guide roll width (Max.mm)	Film width (Max.mm)	Printing width (Max.mm)	Printing repeat (mm)	M/C speed (M/min)	Printing possibility
800	700	650	210-898	80-110	4+0. 3+1. 2+2
1000	900	800	210-898	80-110	4+0. 3+1. 2+2
1200	1100	1000	210-898	80-110	4+0. 3+1. 2+2

HIGH PERFORMANCE BAG MAKING MACHINE FOR SIDE WELDED CARRIER BAGS

TJ-7022 series

루프, 패치, 폴리드로우, 다이컷백 기계



Loop handle bag

Loop handle bag

Patch handle bag

Patch handle bag

Die-cut handle bag

Die-cut handle bag

Draw handle bag



- TJ-7022 LPD: LOOP , PATCH , DRAW, DIE-CUT
- TJ-7022L : LOOP
- TJ-7022P : PATCH, DIE-CUT

Guide roll width (Max.mm)	Bag width (Draw width)	Bag length (Bag height)		Folding depth		film thckness (Mic)	Machine speed			Dimension (LxWxH)
		without loop	with loop	Top fold (mm)	Bottom gusset (mm)		Loop handle	Patch handle	Draw bag	
800	300-650	600	700	80	80	Total 40-100	60Bag/min	50Bag/min	60ag/min	8.2 x 2.3 x 1.9

HIGH PERFORMANCE BAG MAKING MACHINE FOR SIDE WELDED CARRIER BAGS

TJ-7012 series

보름씰링타입 루프핸들백 기계



Guide roll width (Max.mm)	Bag width (mm)	Bag height (without loop, mm)	Film thickness (Mic)	Loop thickness (Mic)	Machine speed Loop handle	Dimension (LxWxH)
800	Max. 650	Max. 650	Total 40-100	Min. 80	60Bag/min	4.7 x 4.5 x 1.4

MACHINE FOR PERFORATED BAG ON ROLL

ROLLMASTER 500A

롤마스타 500A



Guide roll (mm)	MAX. Film width (mm)	Kinds of film	Dimension (L x W x H (M))
500	370	HDPE	5.9 x 1.4 x 1.9
Film length (mm)	Film thickness (mm)	Production (Bags/min)	Power required
MAX. 500	0.015-0.18	MAX. 360	3KW

MACHINE FOR PERFORATED BAG ON ROLL

ROLLMASTER 500AT

롤마스타 500AT



Guide roll (mm)	MAX. Film width (mm)	Kinds of film	Dimension (L x W x H (M))
500	370	HDPE	5.9 x 1.4 x 1.9
Film length (mm)	Film thickness (mm)	Production (Bags/min)	Power required
MAX. 500	0.015-0.18	MAX. 240	6KW

MACHINE FOR PERFORATED BAG ON ROLL

ROLLMASTER 500S

롤마스타 500S



Guide roll (mm)	MAX. Film width (mm)	Kinds of film	Dimension (L x W x H (M))
900	380	HDPE	4.2 x 1.7 x 1.9
Film length (mm)	Film thickness (mm)	Production (Bags/min)	Power required
FIXED 600	0.015-0.18	120 / 1LINE x 2	9.5KW